

FREEZER!*

* Free freezer offer valid 4/1/23 to 8/31/23. Freezers will be earned/redeemed on the first order only, while supplies last.

US SafetyGeara

HYDRATED LIKE

Buy 60 cases of Sqwincher Sqweeze® Freezer Pops and get a LDL

800-686-1459

5PRINGSUMMER

The 7-cu. ft. freezer style, model and graphics may vary from image shown.

SUGAR-FREE FORMULATION 159200231 ORIGINAL FORMULATION 159200201



Items with this symbol can be screen printed or embroidered in our USSG Inc. Custom Shop. Send your logo to sales@ussafetygear.com.



Preferred Provider of Game Day Apparel to the Cleveland Guardians

WHAT'S HOT? HYDRATION





SQWINCHER QWIK STIK® ZERO

159060097 - WATERMELON 159060098 - LEMON-TEA 159060099 - STRAW. LEMONADE 159060100 - ORANGE 159060101 - MIXED BERRY 159060102 - FRUIT PUNCH 159060103 - LEMONADE 159060106 - LEMON LIME 159060107 - GRAPE 159060109 - COOL CITRUS

- 20 fl. oz. yield (for more intense flavor, mix with standard 16.9 fl. oz. bottled water)
- Sugar free
- Excellent source of vitamin C
- Low sodium
- Gluten free
- Low calories

WHAT'S HOT? COOLING



IGLOO

5 GALLON INDUSTRIAL WATER COOLER IG-451

- HDPE hide won't chip, peel, buckle or rust
- Ultratherm® insulation
- UV stabilizers prevent fading and cracking
- White FDA grade liner cleans
 easily and is odor/stain
 resistant
- Wide mouth lid for easy filling
- Keeper cord prevents loss
 of lid

CELLULOSE SWEATBANDS

Anti-mold treated

Pre-moistened Pack of 100

OccuNomiX

SBR100

ABSORBENT

LAGUNA 1 GALLON IG-31379

- Fully insulated beverage cooler keeps drinks cold the entire game or event
- Lid with gasket and flip cap provide ultimate leak resistance
- Flip cap snaps closed securely and folds out of the way during use
- Wide opening allows for chugging or fast-flow pouring



870B100-01 NAVY

IGLOO

NDUSTRIAL 5-GAL

870B100-15 BEIGE

TERRY TOPPERS® SNAP ON HARD HAT SWEATBAND

lgloo coolei work great

- Easily attaches to hard hat suspension with snaps
- Soft material made to absorb and wick away sweat

DURAWEAR"

COOLING TOWEL 1930B

- Poly vinyl alcohol (PVA) material activated by soaking the towel
- Lightweight absorbent material for neck, head or wipe down on pulse points
- Anti-microbial treated
- Cooling for up to 5+ hours
- Storage container
 - Safe and reusable
- Machine washable





CLASS 2 EVAPORATIVE HI-VIZ COOLING SAFETY VEST C16006GC

- ANSI Class 2
- Hi-viz green
- 2" silver reflective tape
- Zipper front closure
- Soak in water to activate
- Sizes: M-4XL



Items with this symbol can be screen or pad printed or embroidered in our USSG Inc. Custom Shop. Send your logo to sales@ussafetygear.com.

WHAT'S HOT? COOLING

CuNomi

WICKING AND COOLING SKULL CAP TD200-WAV

- Tie back to ensure close fit to head
- Activates instantly with a snap when wet
- 1-minute activation

TN5-FLA

FLAMES

- 30% cooler than your skin
- Anti-microbial treatment to prevent growth of odor causing bacteria

MIRACOOL[®] NECK TIE WAVY FLAG 940-WAV

- 100% cotton bandanna with super absorbent polymer crystals
- Available in quantities of 12 and 100
- No slimy feel
- Triple washed to avoid bleeding or staining



- 6 oz. gray flame-resistant-treated cotton
- Flame resistant for 50 washes
- 100% cotton bandanna with super absorbent polymer crystals
- Features Arc rating and OCC Skull logos
- Meets ASTM F1506
- Arc Rating: ATPV = 7.2 cal/cm2
- NFPA 70E / HRC = 1

TN5-INFR-GRN

Items with this symbol can be screen printed or embroidered in our USSG Inc. Custom Shop. Send your logo to sales@ussafetygear. com.

TN5-WAV

WAVY FLAG

TIE HAT DOO RAG

- 100% cotton
- Double cotton layer around forehead for added comfort
- Rear tie for secure fit

FLAME RESISTANT TIE HAT DOO RAG

- 6 oz. flame-resistant-treated cotton
- Flame resistant for 50 washes
- Nomex® thread
- Arc Rating: ATPV = 7.2 cal/cm 2
- NFPA 70E / HRC = 1



SEGMENTED TAPE SHORT SLEEVE CLASS 2 T-SHIRT

- Meets ANSI/ISEA 107-2020 Class 2 - Type R
- 3.8 oz. wicking polyester
 Birdseye
- 2" patented segmented tape
- Chest pocket
- Up to UPF 30 protection
- Very soft, lightweight, absorbent and launders well
- Sizes: S-5X





DRI-POWER® TEE

- 5.6 oz., 50/50 cotton/polyester pre-shrunk jersey
- Oxford: 47% cotton/53% polyester
- Wicks moisture
- Tear away label
- · Seamless 1X1 rib-knit crew neck collar with two-needle coverstitching on front neck
- Shoulder-to-shoulder taping
- Quarter-turned to eliminate center crease
- Set-in sleeves
- Sizes: S-5XL

CLASSIC STANDARD WICKING BIRDSEYE CLASS 2 T-SHIRT LUX-SSETP2B-Y

- Meets ANSI/ISEA 107-2020 Class 2 - Type R
- 3.8 oz. wicking Birdseye
- 2" reflective tape
- Left chest pocket
- Up to UPF 30 protection
- Sizes: S-5XL

SEGMENTED TAPE SHORT SLEEVE CLASS 3 T-SHIRT LUX-TSSP3B-Y

- Meets ANSI/ISEA 107-2020 Class 3 - Type R
- 3.8 oz. wicking polyester Birdseye
- 2["] OCX[™] patented segmented reflective tape
- Tagless collar
- Chest pocket
- Up to UPF 30 protection
- 25 washes
- Sizes: S-5X

POLOS



5019-GRPH-X

GRAPHITE

R20DKX-BLK-X

BLACK/WHITE

collar stand for breathability Inc. Custom Shop. Send your logo to around neck sales@ussafetygear.com. Dri-Power® moisture

wicking technology

ussafetygear.com | sales@ussafetygear.com

maintain shape

Set-in sleeves

Sizes: S-3XL

R20DKX-NVY-X

NAVY/WHITE

Side vents

6

RECRUITER POLO

- Dry-Excel[™] 4.8 oz. 100% polyester wicking honeycomb knit
- UV SafeShield protects against the sun with 50+ UPF
- Wicks moisture
- Tagless label
- Low profile rib collar
- Two-button placket
- Raglan sleeves
- Side vents
- Sizes: S-3XL



222569-BLK-X **BLACK**

222569-ROY-X ROYAL

222569-CAR-X CARBON

222569-DGWH-X DARK GREEN

222569-MAR-X MAROON



LADIES CONVERGE POLO

- 100% polyester embossed print smooth wicking knit with Color Secure® technology that helps prevent dye migration
- Tagless label
- Raglan sleeves
- 100% polyester

Dry-Excel[™] small grid mesh back and inserts made with Color Secure® technology that helps prevent dye migration

- Wicks moisture
- Sizes: S-3XL

222764-BLK-X BLACK

222764-ROY-X 222764-GRPH-X ROYAL



GRAPHITE

TEAM PERFORMANCE SHORT-SLEEVE POLO

- 100% polyester
- 3-button placket
- 6 oz. pique knit
- Snag resistant
- Color retention
- Less dry time
- Self fabric and cuffs
- Dyed to match buttons
- Wrinkle resistant
- Moisture wicking
- Stain release
- Sizes: S-2XL •





LS66BS-X BLACK/SMOKE

PULLOVERS / JACKETS

AUGUSTA SPORTSWEAR BRANDS

WELD HYBRID PULLOVER

- 90% polyester/10% spandex, 4-way stretch woven fabric front panel and back yoke
- Flex-Sof[™] smooth, lightweight, polyester knit with abrasion-resistance and high mechanical stretch on lower body, sleeves and back
- Quarter-zip

- Low profile collar
 - Set-in sleeves

•

- Zippered chest pocket with reflective metallic silicone welded detailing
- Side seam pockets
- Spandex-bound cuff
- Open bottom
- Water resistant
- Sizes: S-4XL



229596-BLK/CAR-X **BLACK/CARBON**

229596-CAR/CAR-X CARBON/CARBON



CARBON



LADIES FEATHERLIGHT SOFT SHELL JACKET

- Featherlight soft shell fabric; • 100% bonded polyester with mechanical stretch and durable water-repellent finish
- Wicks moisture
- Woven label
- Front zipper with outside storm flap and snaps

- Raglan sleeves •
 - Front zippered pockets
 - Dual inside pockets
 - Spandex-bound cuffs
 - Open bottom with adjustable elastic hidden draw cord
 - Sizes: XS-3XL

FEATHERLIGHT SOFT SHELL JACKET

- Featherlight soft shell fabric; 100% bonded polyester with mechanical stretch and durable water-repellent finish
- Wicks moisture
- Woven label
- Front zipper with outside storm flap and

snaps

- Raglan sleeves
- Front zippered pockets
- Dual inside pockets
- Spandex-bound cuffs
- Open bottom with adjustable elastic hidden draw cord Sizes: XS-4XL



BLACK

CARBON

SHIRTS / PANTS



RED KAP

PORT AUTHORITY.

PORT AUTHORITY® LADIES SUPERPRO™ OXFORD SHIRT

- 4.6 oz., 60/40 cotton/poly
- Open collar
- Bust darts
- Back shoulder pleats
- Rounded adjustable
 cuffs
- Sizes: XS-4XL

L658-SPUR-X SOFT PURPLE

L658-NVY-X NAVY L658-OXBLU-X L658-BLK-X OXFORD BLUE BLACK



S659-BLK-X BLACK S659-OXFBLU-> OXFORD BLUE

VAN HEUSEN

STRETCH SPREAD COLLAR SHIRT 13V5049-WHT

- 3.4 oz./yd², 65/31/4 cotton/ polyester/elastane
- Spread collar
- Left chest pocket
- Sizes: M, XL only





PORT AUTHORITY® SHORT SLEEVE SUPERPRO™ OXFORD SHIRT

- Resists and releases stains
- Soft hand and wrinkle-free finish
- 4.6 oz., 60/40 cotton/poly
- Back shoulder pleats
- Button-down collar
- Left chest pocket
- Sizes: XS-4XL

Modern fit features with updated rise that sits slightly below the waist Slim through seat and thigh with a slightly tapered leg

MEN'S DURA-KAP®

FLEX WORK JEAN

PD90PW-X

- with a slightly tapered leg opening that fits over work boots
- Proprietary denim
 engineered to maintain and
 stretch throughout industrial
 laundering
- Decorative stitching on back pockets
- Light-oxide finish rivets



Items with this symbol can be screen printed or embroidered in our USSG Inc. Custom Shop. Send your logo to sales@ussafetygear.com.

PATCH HATS



ORDER YOUR COMPANY'S LOGO AS A PATCH FOR HATS! (Call for additional color options.)







HEATHER TRUCKER SNAPBACK CAP 110C-BHWBH

- · Pro-stitched finish
- Mid-profile, pro-model crown
- Curved visor
- Snapback closure
- Trucker mesh, polyester blend



CONTRAST STITCH TRUCKER SNAPBACK CAP 104S-RWR

- · Pro-stitched finish with contrast stitching
- · Mid-profile, pro-model crown
- Curved visor
- Snapback closure
- Trucker mesh, cotton blend



Items with this symbol can have patches heat pressed onto them in our USSG Inc. Custom Shop. Send your logo to sales@ ussafetygear. com.



SPORT FLEX ATHLETIC MESH CAP 6232-NVY

- 0232-1101
- 100% polyester athletic mesh with tricot backing
- Low-profile, pro-style crown
- Gray undervisor
- Pre-curved bill



FLEXFIT® VAPOR CAP 6300-NVY/NVY

- Nylon blend
- Spandex trucker mesh
- Twill front panels
- Air-mesh back panels
- Mid-profile, pro-model
- Closed back



VALUCAP MESH-BACK TRUCKER CAP VC400-RWHT

- 80/20 polyester/cotton
- · Structured, six-panel, mid-profile
- Pre-curved visor
- Snapback closure

HEAD PROTECTION





EYE PROTECTION



28US0M

CAMO/BRONZE MIRROR LENS

OLD GLORY/ CLEAR LENS



CONQUEROR® SAFETY GLASSES

- Soft rubber nose piece and contoured temple tips
- Anti-fog lens option available
- Adjustable-length eyewear retainer included
- Meets ANSI Z87.1+ and CSA Z94.3 standards
 Meets ballistic impact resistance

requirements for eyewear MIL PRF-32432 (GL)





20GY0M MIRROR LENS



20GY80 CLEAR LENS



- Soft rubber temples
- Anti-fog lens option available Meets ANSI Z87.1+ and CSA Z94.3 standards
- Meets ballistic impact resistance requirements for eyewear, MIL PRF-32432 (GL)



LUMINARY® SAFETY GLASSES WITH BLACK TEMPLES AND CLEAR INSERT 19GBOM

28CM5M

- Lightweight at 4/5 oz.
- Elastic temples
- Nose piece reduces
 slippage
- Meets ANSI Z87.1+ and CSA Z94.3 standards
- Meets ballistic impact resistance requirements for eyewear, MIL PRF-32432 (GL)



(T) (PEADY)

Ask us about adding your logo to safety glasses with our pad-printing process. Send your logo to sales@ussafetygear.com.

STARLITE® SAFETY GLASSES CLEAR MIRROR LENS 460M

STARLITE® SAFETY GLASSES CLEAR LENS +1.5-+2.5 46MM15 | 46MM20 | 46MM25



- Lightweight at less than 1 oz.
- Deep, universal-fit temples provide side protection equal to eyewear with large side shields
- Meets ANSI Z87.1+
 and CSA Z94.3 standards
 - Meets ballistic impact resistance requirements for eyewear, MIL PRF-32432 (GL)



HI-VIZ VESTS



Items with this symbol

printed or

com.

can be screen

embroidered in our

USSG Inc. Custom Shop. Send your logo

to sales@ussafetygear.

PREMIUM FLAME RESISTANT MESH VEST LUX-SSGC/FR-Y

- Meets ANSI/ISEA 107-2020 Class 2 Type R
- Mesh modacrylic/aramid blend
- 2" reflective material
 - Industrial-wash FR fabric
 - Hook and loop closure
- Flame-resistant thread and binding
- CAT 1 Protection- ATPV 4.6 Cal/Cm²
- **ASTM F1506**
- NFPA 70E
- 50 home / 30 industrial washes
 - Sizes: M-5XL

SAFETY CLASS 3 MESH **VEST WITH SLEEVES**

- C16004G
 - HiVizGard™
- Non-caustic, non-conductive zipper closure
- 2" silver reflective tape in vertical, horizontal patterns on front and back and edge of sleeves
- 2 inside lower and 1 upper pocket
- 100% fluorescent polyester
- ANSI Class 3 compliant









CLASS 2 HIGH VISIBILITY MESH VEST C16002G

- HiVizGard™
- Non-caustic, non-conductive zipper closure
- 2" silver reflective tape in vertical and horizontal patterns
- 1 left chest pocket
- 100% fluorescent polyester
- ANSI Class 2 compliant
- Sizes: S-6XL

HIVIZGARD[™] NEON **ORANGE PLAIN MESH** SAFETY VEST

N16000F

- 100% fluorescent polyester mesh
- No reflective stripes
- Front hook and loop closure
- Elastic sides

HIVIZGARD™ **CLASS 2 SAFETY VEST** C16003F

- Front zipper closure
- 2" silver reflective tape
- 1 outside upper left pocket, 2 inside pockets
- Sizes: S-4XL

ussafetygear.com | sales@ussafetygear.com


HIVIZGARD[™] SURVEYOR'S VEST C16011GB

- Front zipper closure
- 2" wide reflective stripes with • contrasting trim
- Padded collar
- Dual mic tabs and grommets .
- Clear ID badge pocket on chest
- 5 external and 1 internal pocket
- Hidden pouch pocket
- Sizes: M-4XL

HIVIZGARD™ **CLASS 2 SAFETY VEST** C16003G

- Front zipper closure
- 2" silver reflective tape
- 1 outside and 2 two inside pockets
- Sizes: S-6XL





RAIN GEAR



HIVIZGARD[™] CLASS 3 WATER RESISTANT WINDBREAKER



- C16720G
 - PU coated 300 denier polyester oxford Zipper closure with storm flap
 - 2" silver reflective tape
 - Concealed attached hood
 - Adjustable wrist straps
 - 1 radio pocket, 2 lower pockets
 - Polyester mesh liner
 - Sizes: S-7XL



HIVIZGARD™ **CLASS E RAIN** PANTS C16920GB

- PU-coated 300 denier polyester oxford
- 2" silver reflective tape
- Elastic waist with drawstring
- Adjustable ankle snaps
- 2 upper slash through pockets
- Sizes: M-4XL

2 LAYER HI-VIZ GREEN **3-PIECE RAIN SUIT** 1260

- 0.35 mm thickness
- Jacket with detachable hood and bib overall pants
- Corduroy collar jacket
- Zipper front with storm-fly • front snaps
- Underarm air vents
- Cape-vented back
- Heavy PVC reinforced joints
 - **PVC/polyester**
- Sizes: S-5XL

16" RUBBER BOOT

- 100% waterproof
- Over-the-sock style
- Black PVC
- Lug outsole for enhanced traction and durability
- Sizes: M: 6-15

17" YELLOW SLUSH SOFT TOE **RUBBER BOOT** 1510

- Soft toe overthe-shoe boot
- High-quality rubber
- Fabric lined
- Top strap and buckle
- Bar-tread outsole
- Sizes: M: 8-18



1551

1550

PLAIN TOE

STEEL TOE

NOTE: Manufacturer recommends you select two sizes bigger than your shoe size.

PVC/NYLON/PVC 2-PIECE GREEN ACID SUIT 1370

- 0.40 mm thickness
- Jacket with attached hood and bib overall pants
- Storm-fly front snaps closure
- Underarm air vents
- Cape-vented back
- Heavy PVC reinforced joints Self-extinguishing treated
- material Sizes: S-5XL
 - Give us a call! 800-686-1459

TRAFFIC SAFETY





42" DIVERTOR TRIMLINE CHANNELIZER

42-MD-X-CXX-10

- Ideal for controlling traffic
- Reflective tape for maximum visibility
- Meets federal MUTCD standards
- 100% recycled rubber base
- Rebounds after impact
- Break-away design
- Stackable
- Easy-grip handle
- 2 mounting holes for warning lights and signs

ROAD

CLOSED

AHEAD

Items with this symbol can be pad printed in our USSG Inc. Custom Shop. Send your logo to sales@ussafetygear.com.



REFLECTIVE 28" TRAFFIC CONE 2850-07-MM

- Reflective collar
- Height 28"
- Weight 7 lbs.
- 1-piece PVC construction

PLASTIC 18" TRAFFIC CONE 1850

- Height 18"
- Weight 3 lbs.
- 1-piece PVC construction



36" ROAD CLOSED AHEAD SIGN RUN36-200-RDCL

- Rib set is fastened at center with 1/4" steel rivet
- Rectangular and delta style corner pockets are made of polycarbonate plastic for durability
- Delta pockets on horizontal corners provide three rivet points for durability
- Delta pockets have narrow width and feature channel for strap for easier storage
- Back-to-back hook-and-loop strap for storage
- Meets MUTCD requirements
- NCHRP-350 compliant when used with OCHRP-350 compliant stands



NON-REFLECTIVE PLASTIC STOP/ SLOW PADDLE WITH 12" HANDLE

P18NRA

- Meets all federal
 MUTCD standards
- 18" octagon, 12" ABS
 plastic handle

FALL PROTECTION



3M[™] PROTECTA® VEST-STYLE HARNESS 1161543

- Parachute torso adjusters
- Pass-through chest connection
- Zinc-plated steel D-ring
 on the back
- Zinc-plated steel chest, leg and torso buckles
- Polyester webbing
- 420 lb. weight capacity
- Meets OSHA 1926.502, ANSI Z359.11
- Tensile strength: 3600
 Ibs./ANSI

3M[™] PROTECTA® VEST-STYLE HARNESS 1161544

- Parachute torso adjusters
- Pass-through chest
 connection
- Zinc-plated steel D-ring on the back
- Zinc-plated steel chest, leg and torso buckles
- · Polyester webbing
- 420 lb. weight capacity
- Meets OSHA 1926.502, ANSI Z359.11
- Tensile strength: 3600
 Ibs./ANSI





3M[™] DBI-SALA[®] NANO-LOK[™] EDGE TWIN-LEG QUICK CONNECT SELF RETRACTING LIFELINE 3500246

- Designed for foot level tie-off and sharp edge applications
- Rebar hook anchor connection
- Built-in harness connector
- Zinc-plated steel lifeline hook
- 8 ft. galvanized lifeline cable
- 310 lb. weight capacity
- Meets OSHA 1926.502, ANSI Z359.1, ANSI Z359.14, OSHA 1910.66, ANSI A10.32



3M[™] PROTECTA[®] REBEL[™] SELF RETRACTING LIFELINE 3590016

- Swiveling anchorage connector loop and carabiner
- Reliable fall arrest energy dissipation system
- 310 lb. weight capacity
- 11 ft. galvanized lifeline cable

3M[™] DBI-SALA[®] NANO-LOK[™] EXTENDED LENGTH SELF RETRACTING LIFELINE 3101586

- Impact-resistant housing made of tough thermoplastic housing
- Speed-sensing brake system provides as low as 6 ft. required fall clearance
- Swiveling anchorage loop limits lifeline twisting for smooth operation
- 11 ft. steel lifeline cable
- 420 lb. weight capacity
- Meets ANSI Z359.14, OSHA 1926.502

3M[™] PROTECTA[®] PRO[™] PACK SHOCK ABSORBING LANYARD 1341004

- Fire resistant Kevlar® fiber webbing
- PVC shock pack with Kevlar®
 fiber cover
- Energy absorbing design limits fall arrest forces
- User friendly self-locking snap hooks at each end
- Impact indicator
- 130 to 310 lb. weight capacity
- Meets ANSI A10.32, OSHA 1926.502, OSHA 1910.66



Give us a call! 800-686-1459



TRIPLE-GRIP® REUSABLE EARPLUGS 100P/BOX

- 27 NRR Rated
- ANSI S3.19-1974
- Three-sided stem for comfortable grip
- Semi-rigid stem insert for easy insertion
- Polymer and cloth cords available
- Soft curved flanges to conform to the shape of the ear canal for all day comfort
- Available in smaller sizes, metal detectable and uncorded versions
- Made in the USA

•

941120

HI-VIZ ORANGE / WHITE



941110 HI-VIZ ORANGE / HI-VIZ ORANGE

METAL DETECTABLE

TRI-GRIP[®] MD METAL INSERT & MET DETECT CORD



943180 HI-VIZ ORANGE / DARK BLUE

TRI-GRIP® MTEK METAL INFUSED PLUG & CORD



945880 DARK BLUE / DARK BLUE



PINK/PINK

SOFTSEAL®

DISPOSABLE, CORDED & UNCORDED WITH CORD: 911460 | UNCORDED: 911400 PURPLE / HI-VIZ LIMON | PURPLE

- 33 NRR Rated
- Popular disposable earplug design
- Tapered shape for easy insertion
- Soft, smooth PU material for long term comfort
- Available in metal detectable and bulk packaging



ussafetygear.com | sales@ussafetygear.com

FOOD SERVICE SAFE • FOOD SERVICE SAFE • FOOD SERVICE SAFE

NITRILE GLOVES



SW Sustainability Solutions' products are designed to be biodegradable in a landfill with a 92.6% biodegradability rate within 2.5

years. The company also ensures that its products can be discarded responsibly with options for

incineration or recycling if needed.

Multilayer: lasts 3x longer, ANSI

DriTek® absorbent lining keeps

Fully textured surface delivers

100% air inspected/consistent

Meets FDA 510(k) standard for

Available in vending pack

hands dry and cool

thickness tip to cuff

medical devices

excellent grip

and EN level 3 abrasion resistance

TRUEFORM® 3.1MIL ROYAL BLUE NITRILE GLOVES

N30134X



- Lighter for exam use
- Beaded cuff allows easy on and off
- Textured surface for excellent wet and dry grip
- Silicone free
- Tear-resistant beaded cuff
- SHA Dermatologically Approved
- Meets FDA 510(k) standard for medical devices
- 1.5 AQL exceeds laboratory standards

MEGAMAN[®] 8.5MIL BLACK NITRILE GLOVES N26088X





POWERFORM® NITRILE GLOVES WITH ECOTEK®

- EcoTek technology breaks down in landfills in less time
- Tear-resistant beaded cuff for easy on and off
- Silicone-free for critical environments
- Meets FDA 510(k) standard for medical devices
- 1.5 AQL exceeds laboratory standards

5.0 MIL BLACK EXAM GLOVES N71688X



- Consistent thickness for greater dexterity and tactile sensitivity
- Full textured for excellent wet and dry grip
- Clean processing technology reduces potential skin irritation
- Optimal thickness for durability and tactile sensitivity

5.0 MIL TEAL EXAM GLOVES N20036X



- Fully textured for excellent wet and dry grip
- Touch-screen compatible
- Optimal thickness for durability and tactile sensitivity
- Excellent price/performance
- Meets FDA 510(k) standard for medical devices

5.1 MIL EXAM GLOVES WITH TRACTEK® N99175X



- TracTek® Grip Technology is engineered to maximize surface contact and channel away liquids
- Touch-screen compatible
- Optimal thickness for durability and tactile sensitivity
- Meets FDA 510(k) standard for medical devices

NENN THE SPOTLIGHT

LIGHTWEIGHT CLASS 3 HOODIE

- Long sleeve moisture-wicking hoodie
- 92% polyester, 8% spandex
- One 2" silver reflective segmented stripe applied horizontally across lower chest
- Two 2" silver reflective segmented stripes applied vertically from top of horizontal stripe, over shoulders, to top of horizontal stripe on back
- Two 2" silver reflective segmented

SAFETY

RLPH120-X HI-VIZ ORANGE

RLPH110-X HI-VIZ LIME

stripes applied around each sleeve

- One outer cell phone pocket: 4" x 8.25"
- Rated UPF 50+
- Meets ANSI/ISEA 107
- Type R Class 3
- Max 25 washes
- Sizes: S-5XL

US SafetyGeard

IMPORTANT NOTICE:

Due to worldwide logistic and manufacturing issues, products may be delayed, and prices are subject to change without notice.

FEATURED BRANDS











JERZEES.

5001 Enterprise Drive Warren, OH 44481

Toll Free: 800-686-1459 **Fax:** 330-898-7812



www.ussafetygear.com

